INDEX.

A.

Acetate of sesquioxide of iron, 228.
Acetates, on the, and other compounds of alumina, by W. Crum, 216.
Acetidin, 286.
Acetin, 286.
Acid, acetic, compounds of glycerine with, 286.
—— anhydrous caprylic, 185.
———— pelargonic, 186
—— biethylomeconic, 77.
—— bromopyromeconic, 81.
———— lead-salt of, 81.
—— butyric, compounds of glycerine with, 285.
—— comenamic, 72.
—— ethylomeconic, 74.
———— neutral salts of, 74.
—— kyanurenic, on, by J. Liebig, 113.
—— margaric, compounds of glycerine with, 284.
—— meconamidic, 74.
—— meconic, action of bromine on, 73.
———— coupled ether of, 76.
———— ethers of, 73.
———— on, and its derivatives, by Henry How, 72.
—— mecono-ethylomeconic, 76.
—— oleic, compounds of glycerine with, 284.
—— palmitic, compounds of glycerine with, 284.
—— pyromeconic, action of bromine on, 81.
———— on some salts and decomposition-products of, by James Brown, 78.
—— racemic, new method of separating, into the two tartaric acids, right and left, by L. Pasteur, 277.
———— transformation of the two kinds of tartaric acid into, by L. Pasteur, 277.
—— sinapic, 189.
Acid, stearic, compounds of glycerine with, 282.
———— on the solid compound obtained by distilling, with lime, T. H. Rowney, 97.
—— sulphotritylic, 288.
—— sulphuric, heat disengaged in the hydration of, 240.
—— tartaric, discovery of inactive, by L. Pasteur, 277.
———— transformation of the two kinds of, into racemic acid, by L. Pasteur, 277.
—— tritylo-sulphocarbonic, 288.
—— valerianic, compounds of glycerine with, 285.
—— heat evolved in the combination of, with anhydrous bases, 246.
—— fatty, heat disengaged in combustion of, 237
—— fixed fatty, compounds of glycerine with, 282.
———— with oxide of zinc, 247.
—— mineral, compounds of glycerine with, 287.
—— on anhydrous organic, by L. Chiozza, 184.
—— on the compounds of glycerine with, and on the synthesis of the proximate principles of animal fats, by M. Berthelot, 280.
—— organic, compounds of glycerine with various, 286.
—— tartaric, right and left, new method of separating racemic acid into the two, by L. Pasteur, 277.
—— volatile fatty, compounds of glycerine with, 285.
Affinity, chemical, researches on, by R. Bunsen, 82.
Alcohol, castor-oil, on the constitution of, by A. W. Wills, 307.
—— propionic, on, by G. Chancel, 287.

Alcohols and ethers, heat disengaged in combustion of, 236.
Alcohols, on the acidification of, by oxygen-gas or atmospheric air, and on the use of hydrogen in determining vapour-densities, by R. Railton, 205.
Alkaloïds, cinchona, researches on the, by L. Pasteur, 273.
—— vegetable, on some new basic products obtained by the decomposition of, by Henry How, 125.
Alumina, analysis of the soluble hydrate of, 227.
—— bibasic sulphate of, 229.
—— bihydrate of, soluble in water, 225.
—— hydrate of, from the insoluble binacetate, 228.
———— from the soluble binacetate, 225.
—— insoluble acetates of, 218.
—— on the acetates and other compounds of, by W. Crum, 216.
—— precipitate from acetate of, with chloride of sodium, 231.
—— soluble acetates of, 222.
—— soluble binacetate of, 222.
Amides, on the, by C. Gerhardt, 193.
Ammonia, bibasic meconate of, action of chlorine on, 73.
—— biethylomeconate of, 77.
—— heat evolved in the formation of, 250.
—— meconate of, action of heat on, 72.
———— bibasic, 72.
Ammonium and didymium, sulphate of, 270.
Amylopiperidine, 181.
—— hydriodate of, 181.
Amyl, reaction between morphia and chloride of, 132.
Amyl-œnanthyl ether, 316.
Analysis, organic, on the use of gas as fuel in, by A. W. Hofmann, 209.
Anhydrous bases, combination of acids with, 246.
Argento-benzo-sulphophenylamide, 196.
Arragonite and calc-spar, heat disengaged in decomposition of, 239.
Arseniate of didymium, 267.
Assay-balance, on an improved, by G. H. Makins, 36.

B.

Babo and Hirschbrunn, on sinapine, 187.
Baryta, acid ethylomeconate of, 74.
—— heat disengaged in combination of acids with, 247.
—— pyromeconate of, 79.
Bases, anhydrous, heat disengaged in combination of acids with, 246.
Basic products, on some new, obtained by the decomposition of vegetable alkaloids, by Henry How, 125.
Baumert, M., on a new oxide of hydrogen, and its relation to ozone, 169.
Benzoic pelargonate, or pelargonic benzoate, 187.
—— valerianate, or valerianic benzoate, 185.
Benzopiperidine, 178.
Benzosalicylamide, 196.
Benzoycin, 286.
Berthelot, M., on the compounds of glycerine with acids, and on the synthesis of the proximate principles of animal fats, 280.
Biethylomeconate of ammonia, 77.
Bromide of tellurethyl, 41.
Bromine, action of, on meconic acid, 73.
———— on pyromeconic acid, 81.
Brown, James, on some salts and decomposition-products of pyromeconic acid, 78.
Buff, H., on the law of electrolysis, 47.
Bunsen, R., on the constitution of iodide of nitrogen, 90.
—— researches on chemical affinity, 82.
Butyridin, 286.
Butyrins, 285.

C.

Cahours, A., on piperidine, a new alkali derived from piperine, 175.
Calc-spar and Arragonite, heat disengaged in decomposition of, 239.
Calorific equivalents, 254, 255.
Camphorin, 286.
Caprylanilide, 186.
Carbon, heat disengaged in combustion of, 235.
Carbonate of didymium, 267.
Castor-oil alcohol, on the constitution of, by A. W. Wills, 307.
Chalk formation, on deposits of soluble or gelatinous silica in the lower beds of the, by J. T. Way, 102.
Chancel, G., on propionic alcohol, 287.
Chemical and molecular actions, researches on the quantities of heat disengaged in, by P. A. Favre and J. T. Silbermann, 234.
Chemical Society, Anniversary Address of the President, 151.
———— Annual General Meeting, Report of the Council, 147.
Chiozza, L., on anhydrous organic acids, 184.

Chiozza, L., researches on the oxygen-radicals, 182.
Chlorhydrin, 287.
Chloride of didymium, 265.
Chloride of sodium, method of determining urea in urine containing, 25.
——— on a new method for the determination of, in urine, by J. Liebig, 1.
——— preparation of normal solution of, for determining the mercury in a solution of the protonitrate, 15.
——— preparation of test-liquor for the determination of, 10.
Chloride of stanethylium, 60.
Chlorine, action of, on bibasic meconate of ammonia, 73.
—— heat produced by the combination of metals with, 247.
—— quantitative determination of, in neutral liquids by means of protoxide of mercury, 7.
Chromium, oxide of, on the behaviour of some oxides with caustic potash in the presence of, by A. B. Northcote and A. H. Church, 54.
Church, A. H., and A. B. Northcote, on the action of caustic potash on the phosphates, 53.
——— on the behaviour of some oxides with caustic potash in the presence of oxide of chromium, 54.
Cinchonicine, 274.
Cinchonidine and quinidine, action of heat on, 276.
Clarke, C. H., and H. Medlock, analysis of the waters from the deep wells of Westbourne Park and Russell Square, and of the Artesian well of the Hanwell Lunatic Asylum, 115.
Codeine, action of iodide of ethyl upon, 134.
Copper, heat evolved in the combination of acids with oxide of, 247.
—— pyromeconate of, 80.
—— sulphantimoniate of, and zinc, by Professor Ettling, 140.
Crum, Walter, on the acetates and other compounds of alumina, 216.
Cumo-benzo-sulphophenylamide, 196.
Cumo-salicylamide, 196.
Cumyl, 183.
Cumylopiperidine, 178.

D.

Decomposition, heat disengaged in certain phenomena of chemical, and in modifications by dimorphism, 238.
Dibenzophenylamide, 196.
Dibenzo-sulphophenylamide, 196.
Dibutyrin, 286.
—— researches on, and its principal compounds, by C. Marignac, 260.
Didymium and ammonium, sulphate of, 270.
—— and potassium, sulphate of, 272.
—— and sodium, sulphate of, 371.
—— arseniate of, 267.
—— carbonate of, 267.
—— chloride of, 265.
—— metallic, 262.
—— nitrate of, 266.
—— oxalate of, 272.
—— peroxide of, 264.
—— phosphate of, 266.
—— protoxide of, 262.
—— sulphate of, 269.
—— sulphide of, 264.
—— sulphite of, 268.
Dimorphism, heat disengaged in certain phenomena of chemical decomposition, and in modifications by, 238.
Diolein, 285.
Dipalmitin, 284.
Distearin, 283.
Divalerin, 285.

E.

Eight-carbon ether, 314.
Electric current, quantities of heat evolved in chemical actions produced by the, 260.
Electrolysis, on the law of, by H. Buff, 47.
Ethers and alcohols, heat disengaged in combustion of, 236.
—— compound, heat disengaged in combustion of, 237.
—— on, intermediate between the œnanthylic and the methylic, ethylic, and amylic series, by A. W. Wills, 307.
Ethyl, action of iodide of, upon codeine, 134.
——— upon morphia, 126.
—— iodide of, action of tin upon, 58.
Ethylocodeine, action of iodide of ethyl on, 137.
Ethyl-œnanthyl ether, 312.
Ethylomeconate of baryta, acid, 74.
—— of silver, acid, 74.
Ethylopiperidine, 179.
—— hydrochlorate of, 180.
Ethyl-urea, piperidic, 178.

Ettling, note on sulphantimoniate of copper and zinc, 140.

F.

Fats, animal, on the compounds of glycerine with acids, and on the synthesis of the proximate principles of, by M. Berthelot, 280.
Favre, P. A., and J. T. Silbermann, researches on the quantities of heat disengaged in chemical and molecular actions, 234.
Ferguson, W., on the increase in weight of molasses casks, occasionally arising from absorption, 122.
Ferric oxide, pyromeconate of, 80.
Frankland, E., on a new series of organic bodies containing metals, 57.
Frankland, E., and W. J. Ward, on an improved apparatus for the analysis of gases, 197.

G.

Gas, on the use of, as fuel in organic analysis, by A. W. Hofmann, 209.
Gases, apparatus for collecting, over water or mercury, by W. M. Williams, 44.
—— heat disengaged by the solution of, in water, 241.
—— heat evolved in the condensation of, by porous bodies, 251.
—— heat evolved or absorbed by the sudden compression or expansion of various, 251.
—— on an improved apparatus for the analysis of, by E. Frankland and W. J. Ward, 197.
—— table of the thermometrical results produced by sudden change of volume in, 253.
Gerhardt, C., on the amides, 193.
Gladstone, J H., on a compound sulphate of potash and soda, 106.
Glycerine, compounds of, with acetic acid, 286.
———— with butyric acid, 285.
———— with margaric acid, 284.
———— with mineral acids, 287.
———— with oleic acid, 284.
———— with palmitic acid, 284.
———— with stearic acid, 282.
———— with valerianic acid, 285.
———— with various organic acids, 286.
Glycerine, on the compounds of, with acids and on the synthesis of the proximate principles of animal fats, by M. Berthelot, 280.
Gold, double hydrochlorate of sincaline and, 190.

H.

Heat, action of, on meconate of ammonia, 72.
—— researches on the quantities of, disengaged in chemical and molecular actions, by P. A. Favre and J. T. Silbermann, 234.
—— evolved in the condensation of gases by porous bodies, 251.
———— in the formation of ammonia, 250.
———— or absorbed by the sudden compression or expansion of various gases, 251.
—— disengaged by the chemical action of the solar rays, 259.
———— by the combustion of acids with anhydrous bases, 246.
———— by the solution of gases in water, 241.
———— by the solution of salts in water, 241.
———— in certain phenomena of chemical decomposition and in changes by demorphism, 238.
———— in rapid combustion, 234.
———— in the formation of salts, 242.
———— in the hydration of sulphuric acid, 240.
—— produced by the combination of metals with oxygen, chlorine, iodine, &c., 247.
—— quantities of, evolved in chemical actions produced by the electric current, 260.
Heats, specific and latent, of various bodies, 250.
Hirschbrunn, M., and M. Babo, on sinapine, 187.
Hofmann, A. W., on the use of gas as fuel in organic analysis, 209.
How, Henry, on meconic acid and its derivatives, 72.
—— on some new basic products, obtained by the decomposition of vegetable alkaloids, 125.
Hydrargyromethylium, 65.
Hydrate of alumina, soluble in water, 225.
Hydriodate of amylopiperidine, 181.
—— of piperidine, 177.

Hydrocarbons, heat disengaged in combustion of, 236.
Hydrochlorate, double, of sincaline and gold, 190.
——— of sincaline and platinum, 190.
—— of ethylopiperidine, 180.
—— of piperidine, 176.
Hydrogen, on a new oxide of, and its relation to ozone, by M. Baumert, 169.
—— on the use of, in determining vapour-densities, and on the acidification of alcohols by oxygen-gas or atmospheric air, by R. Railton, 205.

I.

Iodide of ethyl, action of tin upon, 58.
—— of methyl, action of mercury upon, 65.
——— action of zinc upon, 62.
—— of nitrogen, on the constitution of, by R. Bunsen, 90.
—— of stanethylium, 59.
—— of tellurethyl, 42.
Iodine, heat produced by the combination of metals with, 247.
—— on the general distribution of, by Stevenson Macadam, 166.
Iron, acetate of sesquioxide of, 228.

L.

Lead, oxide of, combination of acids with, 247.
—— pyromeconate of, 80.
Lead-salt of bromopyromeconic acid, 81.
Liebig, J., note on Thierschite, 112.
—— on kyanurenic acid, 113.
—— on some compounds of urea, and on a new method for the determination of chloride of sodium and of urea in urine, 1.
Lieshing, F., on the mode of estimating the value of red prussiate of potash, 31.
Lime, combination of acids with, 246.
—— pyromeconate of, 79.

M.

Macadam, Stevenson, on the general distribution of iodine, 166.
Magnesia, pyromeconate of, 79.
Makins, G. H., on an improved assay-balance, 36.
Margarins, 284.
Marignac, C., researches on didymium and its principal compounds, 260.
Meconate of ammonia, bibasic, 72.
——— action of chlorine on, 73.
Medlock, H., and C. H. Clarke, analysis of the waters from the deep wells of Westbourne Park and Russell Square, and the artesian well of the Hanwell Lunatic Asylum, 115.
Mercury, action of, upon iodide of methyl, 65.
—— compounds of protoxide of, with urea, 2—4.
—— compounds of urea with protoxide of, 5—7.
—— determination of protoxide of, in a solution of nitrate of, 14.
—— preparation of nitrate of protoxide of, 8.
—— preparation of normal solution of chloride of sodium for determining the, in a solution of the protonitrate, 15.
—— preparation of solution of, for the precipitation of urea in urine, 21.
—— quantitative determination of chlorine in neutral liquids by means of protoxide of, 7.
Metals, heat produced by the combination of, with oxygen, chlorine, iodine, &c., 247.
—— on a new series of organic bodies containing, by E. Frankland, 57.
Methyl, action of iodide of, upon morphia, 130.
—— iodide of, action of mercury upon, 65.
——— action of zinc upon, 62.
Methyl-œnanthyl ether, 314.
Methylopiperidine, 179.
Methyl-urea, piperidic, 178.
Molasses casks, on the increase in the weight of, occasionally arising from absorption, by W. Ferguson, 122.
Molecular and chemical actions, researches on the quantities of heat disengaged in, by P. A. Favre and J. T. Silbermann, 234.
Monobutyrin, 285.
Monomargarin, 284.
Monopalmitin, 284.
Monostearin, 282.
Monovalerin, 285.
Morphia, action of iodide of ethyl upon, 126.
——— methyl upon, 130.
—— and chloride of amyl, reaction between, 132.

N.

Nine-carbon ether, 312.
Nitrate of didymium, 266.
—— of piperidine, 177.
—— of urea, compounds of, with protoxide of mercury, 5—7.
Nitrogen, iodide of, on the constitution of, by R. Bunsen, 90.
—— on two new methods for the determination of, in organic and inorganic compounds, by Dr. Maxwell Simpson, 289.
Northcote, A. B., and A. H. Church, on the action of caustic potash on the phosphates, 53.
———— on the behaviour of some oxides with caustic potash in the presence of oxide of chromium, 54.

O.

Oleins, 284.
Organic bodies, on a new series of, containing metals, by E. Frankland, 57.
Oxalate of didymium, 272.
—— of oxide of tellurethyl, 43.
—— of piperidine, 177.
Oxide of stanethylium, 59.
—— of tellurethyl, 43.
Oxides of didymium, 262.
—— on the behaviour of some, with caustic potash in the presence of oxide of chromium, by A. B. Northcote and A. H. Church, 54.
Oxybromide of tellurethyl, 41.
Oxychloride of tellurethyl, 41.
Oxygen, heat produced by the combination of metals with, 247.
—— on the acidification of alcohols by, or atmospheric air; and on the use of hydrogen in determining vapour-densities, by R. Railton, 205.
Oxygen-radicals, researches on the, by L. Chiozza, 182.
Oxyiodide of tellurethyl, 42.
Ozone, on a new oxide of hydrogen, and its relation to, by M. Baumert, 169.

P.

Palmitin, 284.
Pasteur, L., researches on the cinchona alkaloïds, 273.
—— transformation of the two kinds of tartaric acid into racemic acid. Discovery of inactive tartaric acid. New method of separating racemic acid into the two tartaric acids, right and left, 277.
Pelargonic benzoate, or benzoic pelargonate, 187.
Phenylamide, dibenzo- (Dibenzanilide), 197.
Phosphate of didymium, 266.
Phosphates, on the action of caustic potash on the, by A. B. Northcote and A. H. Church, 53.
Piperidic ethyl-urea, 178.
—— methyl-urea, 178.
—— urea, 177.
Piperidine, hydriodate of, 177.
—— hydrochlorate of, 176.
—— nitrate of, 177.
—— on, a new alkali derived from piperine, by A. Cahours, 175.
—— oxalate of, 177.
—— sulphate of, 177.
—— sulphocarbonate of, 178.
Platinum, double hydrochlorate of sincaline and, 190.
Potash, caustic, on the action of, on the phosphates, by A. B. Northcote and A. H. Church, 53.
———— on the behaviour of some oxides with, in the presence of oxide of chromium, by A. B. Northcote and A. H. Church, 54.
—— mode of estimating the value of red prussiate of, by F. Lieshing, 31.
—— on a compound sulphate of, and soda, by J. H. Gladstone, 106.
Potassium and didymium, sulphate of, 272.
Proceedings at the Meetings of the Chemical Society, 54, 141, 317.
Prussiate, red, of potash, mode of estimating the value of, by F. Lieshing 31.
Pyromeconate of baryta, 79.
—— of copper, 80.
—— of ferric oxide, 80.
—— of lead, 80.
—— of lime, 79.
—— of magnesia, 79.
—— of strontia, 79.

Q.

Quinicine, 274.
Quinidine, 275.
—— and cinchonidine, action of heat on, 276.
Quinoïdine, 276.

R.

Railton, R., on the use of hydrogen in determining vapour-densities, and on the acidification of alcohols by oxygen-gas or atmospheric air, 205.

Report of the Council, March 30th, 1853, 141.
—— Treasurer's, 148.
Rowney, T. H., on the solid compound obtained by distilling stearic acid with lime, 97.

S.

Salicylamide, benzo-, 196.
—— cumo-, 196.
Saline compounds, heat disengaged in the formation of, 257.
Salts, solution of, in water, 241.
Sebin, 286.
Silbermann, J. T. and P. A. Favre, researches on the quantities of heat disengaged in chemical and molecular actions, 234.
Silica, soluble or gelatinous, on deposits of, in the lower beds of the chalk formation, by J. T. Way, 102.
Silver, acid ethylomeconate of, 74.
—— compound of oxide of, with urea, 4.
—— on, by MM. Babo and Hirschbrunn, 187.
Simpson, M., on two new methods for the determination of nitrogen in organic and inorganic compounds, 289.
Sincaline, 189.
Soda, on a compound sulphate of potash and, by J. H. Gladstone, 106.
Sodium and didymium, sulphate of, 271.
—— chloride of, precipitate from acetate of alumina with, 231.
—— on a new method for the determination of chloride of, in urine, by J. Liebig, 1.
Solar rays, heat disengaged by the chemical action of the, 259.
Stanamylium, 62.
Stanethylium, 60.
—— chloride of, 60.
—— iodide of, 59.
—— oxide of 59.
—— sulphide of, 60.
Stanmethylium, 62.
Stearins, 282.
Strontia, combination of acids with, 247.
—— pyromeconate of, 79.
Sulphate of alumina, bibasic, 229.
—— of didymium, 269.
———— and ammonium, 270.
———— and sodium, 271.
—— of oxide of tellurethyl, 43.
—— of piperidine, 177.
Sulphide of didymium, 264.
—— of stanethylium, 60.
Sulphite of didymium, 268.
———— and potassium, 272.
Sulphocarbonate of piperidine, 178.
Sulphophenylamide, argento-benzo-, 196.
—— benzo-, 196.
—— cumo-benzo-, 196.
—— dibenzo-, 196.
Sulphur, heat disengaged in combustion of, 238.

T.

Tellurethyl, on some new compounds of, by Wöhler, 40.
—— bromide of. 41.
—— iodide of, 42.
—— oxalate of oxide of, 43.
—— oxide of, 43.
—— oxybromide of, 41.
—— oxychloride of, 41.
—— oxyiodide of, 42.
—— sulphate of oxide of, 43.
Test-liquor, preparation of, for the determination of chloride of sodium, 10.
Tetramargarin, 284.
Tetrapalmitin, 284.
Tetrastearin, 283.
Thierschite, note on, by J. Liebig, 112
Tin, action of, upon iodide of ethyl, 58.
Trityl, hydrate of, 287.
Twelve-carbon ether, 316.

U.

Urea, on some compounds of, and on a new method for the determination of chloride of sodium and of urea in urine, by J. Liebig, 1.
—— compound of, with oxide of silver, 4.
—— compounds of nitrate of, with protoxide of mercury, 5—7.
———— with protoxide of mercury, 2—4.
—— method for the determination of, in urine, 18.
—— method of determining, in urine containing chloride of sodium, 25.
—— piperidic, 177.
—— preparation of solution of mercury, for the precipitation of urea in urine, 21.

V.

Valeranilide, 185.
Valerianic benzoate, or benzoic valerianate, 185.
Valerins, 285.

W.

Ward, W. J., and E. Frankland, on an improved apparatus for the analysis of gases, 197.

Waters, analysis of the, from the deep wells of Westbourne Park and Russell Square, and the artesian well of the Hanwell Lunatic Asylum, by C. H. Clarke and H. Medlock, 115.

Way, J. T., on deposits of soluble or gelatinous silica in the lower beds of the chalk formation, 102.

Williams, W. M., description of an apparatus for collecting gases over water or mercury, 44.

Wills, A. W., on ethers intermediate between the œnanthylic and the methylic, ethylic, and amylic series, and on the constitution of castor-oil alcohol, 307.

Wöhler, on some new compounds of tellurethyl, 40.

Z.

Zinc, action of, upon iodide of methyl, 62.

—— heat evolved in the combination of acids with oxide of, 247.

—— sulphantimoniate of, and copper, by Professor Ettling, 140.

Zincamylium, 64.

Zincethylium, 63.

Zincmethylium, 63.

END OF VOL. VI.

LONDON:
Printed by Schulze and Co., 13, Poland Street.